



New Shannon Looks

High in Fashion, Low in Effort

Book 680

\$2.00

® super yarn mart!
SUPER SAVER
SUPPLY ONLY
1/2 OF MARKED PRICE
Los Angeles, Calif. 90015



No. 1



No.2

General Instructions

Please read

These designs were all made using **Columbia-Minerva Shannon** yarn which is interchangeable as follows:

Nantuk 4-Ply (4 oz.)
Glimmerluff (3 oz.)
Nantuk Heather (3.5 oz.)
Nantuk Ombre (3.5 oz.)
Performer (3 oz.)

ABBREVIATIONS

beg—begin (ing)
ch(s)—chain(s)
dc—double crochet
dec—decrease(ing)
hdc—half double crochet
inc—increase(ing)
K—knit
lp(s)—loop(s)
P—Purl
pat—pattern
psso—pass sl st over K st
rem—remain(ing)
rep—repeat
rnd(s)—round(s)
sc—single crochet
sk—skip
sl—slip
sp—space
st(s)—stitch(es)
St st—Stockinette Stitch
tch—turning chain
tog—together
yo—yarn over

Make a sample swatch before beg work to be sure your st gauge is correct. Do not hesitate to change hook or needle size to achieve indicated gauge.

Hand Laundering: Wash by hand in mild detergent and lukewarm water. Squeeze suds through but do not rub. Rinse thoroughly. Support garment when lifting from water to prevent stretching. Do not wring or twist, squeeze gently. Roll in terry cloth to absorb excess moisture. Shape on flat surface to original size. Keep away from heat and sunlight.

Important: A few drops of white vinegar in final rinse sets color and prevents "bleeding" of one color into another.

Washing Instructions for Acrylics: Wash by hand or machine. **Machine Laundering:** Set at moderate temperature and cycle using suitable detergent. Fabric softener is recommended in final rinse. Do not use chlorine bleach. Machine washed garments should be machine dried.

1. Coat and Shell

Shown on front cover

SIZES: Directions are for Size 8. Changes for Sizes 10, 12, 14, and 16 are in parentheses.

MATERIALS: Columbia-Minerva Shannon (3 oz ball): Shell—4 (4-5-6-7); Coat—14 (14-15-16-17). Crochet Hooks, Size H, Size I, and Size J or sizes needed to obtain gauge given below.

Alternate Yarns: You may substitute Columbia-Minerva Nantuk 4-ply or Columbia-Minerva Performer yarns.

GAUGE: Shell—Size I hook—7 sts = 2"; 4 rows = 1". Coat—Size J hook, 3 sc = 1"; 3 rows = 1".

FINISHED MEASUREMENTS: Shell—**Bust**—33½ (34½-36-37½-39)". **Width of front or back at underarm**—16¾ (17¼-18-18¾-19½)". **Coat—Bust**—42 (43-44-45-46)". **Width of back at underarm**—21 (21½-22-22½-23)". **Width of each front at underarm**—10¾ (11-11½-12½-13)". **Width of sleeves at underarm**—15½ (16-16½-17-17½)".

SHELL

BACK: Row 1: (right side) With Size I hook, ch 59 (61-65-67-69), sc in 3rd ch from hook, *ch 1, sk next ch, sc in next ch; rep from * across; 58 (60-64-66-68) sts. **Row 2:** Ch 2, turn, sc in first ch-1 sp, * ch 1, sc in next ch-1 sp; rep from * across, end ch 1, sc between last sc and ch-2. Rep Row 2 for pat. Work even until 15" from beg or desired length to underarm. **SHAPE ARMHOLES: Row 1:** Ch 1, turn, sl st in each of first 4 sts, ch 2, sc in next sp, work in pat to within last 4 sts. **Dec. Row:** Ch 2, turn, draw up a lp in each of first 2 ch-1 sps, yo and thru all 3 lps on hook (pat dec), work in pat to within last 4 sts, dec 1 pat. Rep dec row once; 42 (44-48-50-52) sts. Work even until 7 (7½-7¾-8)" above beg of armhole. **SHAPE**

SHOULDERS: Row 1: Ch 1, turn, sl st in each of first 6 sts, ch 2, sc in next ch-1 sp, [ch 1, sc in next sp] 2 (2-3-3-3) times; fasten off: Sk next 9 (10-10-11-12) sc, join yarn in next sp, ch 2, sc in next ch-1 sp, [ch 1, sc in next sp] 2 (2-3-3-3) times. Fasten off.

FRONT: Work same as back until 4 (4¼-4½-4½)" above beg of armhole. **SHAPE NECK: Row 1:** Ch 2, turn, sc in first sp, [ch 1, sc in next sp] 8 (8-9-9-9) times; 18 (18-20-20-20) sts. At neck edge, dec 1 pat every row 3 times. Work even until same length as back to shoulder. **SHAPE SHOULDER:** Work same as first half of shoulder of back. Fasten off. Sk center 3 (4-4-5-6) sc on last full row of front, join yarn in next ch-1 sp, ch 2, sc in next ch-1 sp, work in pat to end. Finish to correspond to first half.

FINISHING: Sew shoulder and side seams. From right side, with Size H hook, work 1 row sc around armhole edges and lower edge of shell.

TURTLENECK: Rnd 1: Right side facing, with Size H hook join yarn in first sc at right back neck edge, ch 2, sc in next sp, work in pat across back neck, work 7 (7-8-8-9) pats along side edge, work in pat across front neck, work 7 (7-8-8-9) pats along side edge, join in first st; 52 (56-60-64-72) sts. **Rnd 2:** Ch 2, turn, work around in pat, join. Rep rnd 2 until 3" from beg. **Next Rnd:** Ch 2, turn, in first ch-1 sp work sc, ch 1, sc (pat inc), work around in pat, inc 7 pats more evenly sp; 68 (72-76-80-88) sts. Work 2 rnds even. Change to Size I hook. Work even until 7" from beg. **Last Rnd:** Ch 1, turn, sc in each st around, join. Fasten off.

COAT

BACK: Row 1: (right side) With Size J hook, ch 63 (65-67-69-71), sc in 2nd ch from hook and each rem ch; 62 (64-66-68-70) sc. **Row 2:** Ch 1, turn, sc in each sc across. Rep row 2 until 25" from beg or desired length to underarm. Mark beg and end of last row for underarm. Work even in sc until 8 (8-8½-8½-9)" above markers. Fasten off. Mark 5¼ (5½-6¼-6½-6¾)" in from each side edge for shoulders.

FRONTS: Make 2. With Size J hook, ch 33 (34-36-38-40). Work same as back.

SLEEVES: Row 1: With Size J hook, ch 36 (36-38-38-40), sc in 2nd ch from hook and each rem ch; 35 (35-37-37-39) sc. Work even in sc until 5" from beg. Inc 1 st each side edge in next row, then every 1½", 6 times more; 49 (49-51-51-53) sc. Work even until 20" from beg or 3" more than desired length to underarm, allowing for 3" cuff and drop shoulder. Fasten off.

FINISHING: Sew shoulder seams from side edge to markers, and side seams from lower edge to underarm marker. Sew sleeve seams, sew in sleeves. **FRONT AND NECK EDGING:** Right side facing, with Size H hook join yarn at lower right front corner, sc evenly long front edge to neck edge, 3 sc in corner to turn, sc along neck edge, dec 5 sts evenly spaced across back neck edge, 3 sc in left neck corner, sc evenly to lower edge. Fasten off.

Direct all inquiries to:

Columbia-Minerva Corporation
Consumer Service Department
P.O. Box 300
Rochelle, Illinois 61068

2. Double Breasted Jacket

Shown on page 2

SIZES: Directions are for Size 8. Changes for Sizes 10, 12, 14, and 16 are in parentheses.

MATERIALS: Columbia-Minerva Shannon (3 oz ball): 6 (7-8-9-10). Knitting Needles, Size 8 or size needed to obtain gauge given below. 2 Metal Frogs.

Alternate Yarns: You may substitute Columbia-Minerva Nantuk 4-ply or Columbia-Minerva Performer.

GAUGE: Pat St—Size 8 needles—9 sts = 2"; 6 rows = 1".

FINISHED MEASUREMENTS: Bust (closed)—35 (36-37 3/4-39 1/2-41 1/2)".
Width of back at underarm—17 (18-18 3/4-19 3/4-20 3/4)". **Width of each front at underarm**—10 1/2 (10 3/4-11-11 1/2-12 1/4)". **Width of sleeves at underarm**—13 (13 1/2-14-14 1/2-15)".

BACK: Cast on 77 (81-85-89-93) sts. **Pat—Row 1:** (right side) K 1, * p 1, k 1; rep from * across. **Row 2:** P 1, * k 1, p 1; rep from * across. **Row 3:** Rep row 2. **Row 4:** Rep row 1. Rep rows 1 through 4 for pat st. Work even in pat until 13" from beg or until desired length to underarm. **SHAPE RAGLAN:** Keeping pat, bind off 3 (3-4-4-5) sts at beg of next 2 rows. Dec 1 st each side edge in next row, then every other row 22 (23-24-25-26) times more; 25 (27-27-29-29) sts. Bind off in pat.

LEFT FRONT: Cast on 47 (49-51-53-55) sts. Work same as back to underarm, end with same row of pat, at side edge. **SHAPE RAGLAN:** Keeping pat, bind off 3 (3-4-4-5) sts at beg of next row. Work 1 row even. At raglan edge, dec 1 st in next row, then every other row 22 (23-24-25-26) times more; 21 (22-22-23-23) sts. Bind off in pat.

RIGHT FRONT: Work to correspond to left front, reversing shaping.

SLEEVES: Cast on 43 (43-45-45-47) sts. Work in pat as for back until 6" from beg. Inc 1 st each side edge in next row, then every 8th row 7 (8-9-10-11) times more; 59 (61-65-67-71) sts. Work even until 20" from beg or 4" longer than desired length to underarm. **SHAPE RAGLAN:** Work same as back raglan shaping; 7 sts. Bind off in pat.

COLLAR: Cast on 23 (23-25-25-27) sts. Work in pat for 2 rows. Cast on 10 sts at beg of next 6 rows; 83 (83-85-85-87) sts. Mark last row. Work even in pat until 3" above marker. Bind off in pat.

FINISHING: Sew raglan seams, side and sleeve seams. Sew beg cast on edge of collar to back neck edge and

side edges to side and front edges of neck. Sew on frogs as pictured.

3. Patterned Cardigan

Shown on page 6

SIZES: Directions are for Size 8. Changes for Sizes 10, 12, 14 and 16 are in parentheses.

MATERIALS: Columbia-Minerva Shannon (3 oz ball): Color A (Grey)—5 (5-5-6-6); Color B (Apricot)—4 (4-4-5-5); Color C (Ivory)—3 (3-3-4-4). Knitting Needles, Size 8 and Size 10 or size needed to obtain gauge given below.

Alternate Yarns: You may substitute Columbia-Minerva Nantuk 4-ply or Columbia-Minerva Performer.

GAUGE: Pat St—Size 10 needles—9 sts = 2"; 6 rows = 1".

FINISHED MEASUREMENTS: Bust—34 (35-36-38-40)". **Width of back at underarm**—17 (17 1/2-18-19-20)". **Width of each front at underarm**—9 (9 1/2-10-10 1/2-11)". **Width of sleeves at underarm**—12 (12 1/2-13-13 1/2-14)".

PATTERN STITCH: Multiple of 4 sts plus 1 st. Work Pat st in stripe sequence of 2 rows C, 2 rows A, 2 rows B, 2 rows A. **Row 1:** (right side) K 1, * with yarn in front, sl 1 as to p, with yarn in back, k the thread running between the sl st and next st on needle, yarn in front, sl next st as to p, yarn in back, k next st, pass first sl st over last 3 sts, k 1 *; rep between *'s across. **Rows 2 and 4:** P. **Row 3:** K 3, rep between *'s of row 1 across, end k 3. Rep rows 1 thru 4 for pat.

BACK: With Size 10 needles and B, cast on 77 (79-81-85-89) sts. **Ribbing—Row 1:** (right side) K 1, * p 1, k 1; rep from * across. **Row 2:** P 1, * k 1, p 1; rep from * across. Rep rows 1 and 2 until 5 rows from beg are completed. Break B, join A. P 1 row. Break A, join C. **Pat—Row 1:** K 1 (2-1-1-1), rep between *'s of Pat Row 1 across, end k 1 (2-1-1-1). Work in pat as established, beg and end Pat Row 3, k 3 (3-3-3-3), until 14" from beg or desired length to underarm. Mark last row. **SHAPE ARMHOLES:** Keeping pat, bind off 4 sts at beg of next 2 rows. Dec 1 st each side edge every other row 3 (3-3-4-4) times; 63 (65-67-69-73) sts. Work even until 7 (7 1/2-8-8 1/2-9)" above underarm marker.

SHAPE SHOULDERS: Bind off 6 (7-7-7-7) sts at beg of next 4 rows; then 7 (6-6-7-8) sts at beg of next 2 rows; 25 (25-27-27-29) sts. Sl sts to holder for neck.

LEFT FRONT: With Size 10 needles and B, cast on 41 (43-45-47-49) sts. Work ribbing same as back. **Next Row:** With B, rib first 6 sts, inc 1 st in last st,

sl these 7 sts to holder; break B, join A, p to end; 35 (37-39-41-43) sts. Break A, join C. **Pat—Row 1:** K 2 (1-2-1-2), rep between *'s of pat row 1 across, end k 2 (1-2-1-2). Work in pat as for back, beg and end Pat Row 3, k 4 (3-4-3-4). Work even until same length as back to underarm, end with same stripe and pat row. **SHAPE ARMHOLE:** At side edge bind off 4 sts once. Dec 1 st at side edge every other row 3 (3-3-4-4) times; 28 (30-32-33-35) sts. Work even in pat until 4 1/2 (4 1/2-4 3/4-4 3/4-5)" above underarm marker, end with right side row. **SHAPE NECK:** Keeping pat, bind off 5 (6-7-7-7) sts at beg of next row. At neck edge dec 1 st every row twice, then every other row 2 (2-3-3-4) times; 19 (20-20-21-22) sts. Work even in pat until same length as back to shoulder. **SHAPE SHOULDER:** At armhole edge bind off 6 (7-7-7-7) sts twice, then 7 (6-6-7-8) sts once. **FRONT BAND:** Right side facing, sl 7 sts from holder to size 8 needle. Join B at inside edge. Work in ribbing until band, slightly stretched, is same length as front edge to neck shaping, end with wrong side row. Sl sts to holder. Sew ribbing to front edge. Mark position of 6 buttons evenly spaced on band, having lower one on 7th row from lower edge and top one on the last row of ribbing at neck edge.

RIGHT FRONT: Work to correspond to left front, reversing band and shaping and working buttonholes opposite markers: **Row 1:** (right side) Rib 2 sts, bind off next 2 sts, rib to end. **Row 2:** Rib, casting on 2 sts over bound-off sts. **NOTE:** Do not work last buttonhole.

SLEEVES: With Size 10 needles and B, cast on 41 (41-43-43-45) sts. Work ribbing same as back. With A, p 1 row. Break A, join C. **Pat—Row 1:** K 1 (1-2-2-1), rep between *'s of pat row 1 across, end k 1 (1-2-2-1). Work in pat, beg and end Pat Row 3, k 3 (3-4-4-3) and inc 1 st each side edge every 1 1/2", 7 (8-8-9-9) times working inc sts into pat; 55 (57-59-61-63) sts. Work even until 17" from beg or desired length to underarm. **SHAPE CAP:** Keeping pat, bind off 4 sts at beg of next 2 rows. Dec 1 st each side edge every other row 13 (14-15-16-17) times. Bind off 2 sts at beg of next 2 rows. Bind off.

FINISHING: Sew shoulder, side and sleeve seams. Sew in sleeves. **NECK-BAND:** Right side facing, with Size 8 needles and B, rib 2 sts from right front holder, bind off next 2 sts, rib to end of holder, pick up 21 (21-22-23-24) sts along right side edge, k 25 (25-27-27-29) sts from back holder, pick up 21 (21-22-23-24) sts along left edge, rib across 7 sts from left front holder; 81 (81-85-87-91) sts including bound-off sts. Casting on 2 sts over bound-off sts in next row, work 5 rows in ribbing same as back. Bind off in ribbing.

4. Cabled Sleeveless Vest

Shown on page 6

SIZES: Directions are for Size 6-8. Changes for Sizes 10-12 and 14-16 are in parentheses.

MATERIALS: Columbia-Minerva Shannon (3 oz ball): 5 (6-7). Knitting Needles, Size 6 and Size 8 or size needed to obtain gauge given below. 1 Cable needle or Double-pointed needle. Crochet Hook, Size G. $\frac{7}{8}$ " Plastic rings—3.

Alternate Yarns: You may substitute Columbia-Minerva Nantuk 4-ply or Columbia-Minerva Performer yarns.

GAUGE: Pattern St—Size 8 needles—9 sts = 2"; 6 rows = 1".

FINISHED MEASUREMENTS: Bust—33½ (36½-40)". **Width of back at underarm**—16½ (18½-20½)". **Width of each front** (including band)—8¾ (10-11)".

PATTERN STITCH: Multiple of 8 (9-10) sts plus 2 (3-4) sts. **Row 1:** (right side) P 2 (3-4), *sl next 2 sts to cable needle (CN) and hold in back of work, k next st, p 1, k 1 from CN, sl next st to CN, hold in front of work, p 1, k 1 over next 2 sts, k st from CN, p 2 (3-4); rep between *'s across. **Rows 2, 4 and 6:** K 2 (3-4), *p 1, k 1 twice, p 2, k 2 (3-4)*; rep between *'s. **Rows 3, 5, and 7:** P 2 (3-4), *[k 1, p 1] twice, k 2, p 2 (3-4)*; rep between *'s. **Row 8:** K 2 (3-4), *p 1, k 1, p 4, k 2 (3-4)*; rep between *'s. Rep rows 1 thru 8 for pat.

BACK: With Size 8 needles, cast on 74 (84-94) sts. Work in pat st for 24 rows. Change to Size 6 needles. Work in pat for 16 rows more. Change to Size 8 needles. Work even in pat until 14" from beg or desired length to underarm. Mark last row. **SHAPE ARM-**

HOLES: Keeping pat, bind off 4 sts at beg of next 2 rows. Dec 1 st each side edge every other row 2 (2-3) times; 62 (72-80) sts. Work even in pat until 7 (7½-8)" above underarm marker.

SHAPE SHOULDERS: Bind off 6 (7-8) sts at beg of next 4 rows, then 7 (8-8) sts at beg of next 2 rows; 24 (28-32) sts. Bind off all sts.

LEFT FRONT: With Size 8 needles, cast on 40 (45-50) sts. **Row 1:** (right side) Work across in pat to within last 6 sts, [k 1, p 1] 3 times. **Row 2:** [P 1, k 1] twice, p 2, work in pat to end. Keeping 5 st seed st band, work in pat as established until 24 rows are completed. Change to Size 6 needles. Work even for 16 rows more. Change to Size 8 needles. Work even for 8 rows more, end with wrong side row. **SHAPE NECK AND ARMHOLE:** **Next Row:** Work in pat to within last 6 sts, sl last 6 sts to holder; 34 (39-44) sts. Work

even for 1". At neck edge, dec 1 st in next row, then every 1", 8 (10-12) times more, **at same time**, when same length as back to underarm, end with same pat row, shape armhole. At side edge bind off 4 sts once, then dec 1 st every other row 2 (2-3) times; 19 (22-24) sts. Work even until same length as back to shoulder. **SHAPE SHOULDER:** At armhole edge bind off 6 (7-8) sts twice, then 7 (8-8) sts once. **COLLAR:** Right side facing, sl 6 sts to Size 6 needle, join yarn at inside edge. **Row 1:** [K 1, p 1] 3 times. **Row 2:** [P 1, k 1] 3 times. Rep last 2 rows for seed st pat. Keeping pat, inc 1 st at inside edge in 6th row, then every 6th row 6 times more, then every 4th row 10 times, working inc sts in seed st; 23 sts. Work even in seed st until collar is long enough to reach the center of back neck edge. Bind off. Mark position of 3 buttons having lower one at the top of the 2nd cable from lower edge and the rem 2 spaced 2 cables apart.

RIGHT FRONT. Work to correspond to left front, reversing pattern and shaping, and working buttonholes opposite markers as follows: **Row 1:** (right side) Work 2 sts, bind off next 2 sts, work to end. **Row 2:** Work across, casting on 2 sts over bound-off sts.

POCKET: Make 2. With Size 8 needles, cast on 18 (21-23) sts. Work in pat for 24 rows. Work in seed st for 2 rows. Bind off in seed st.

FINISHING: Sew shoulder seams.

ARMHOLD EDGING: Right side facing, pick up 86 (92-98) sts along armhole edge. Work 1 row in seed st. Bind off in seed st. Sew side seams. Sew side edge of collar to front and back neck edges. Sew ends of collar tog. Position pockets between first and last cables on fronts, with cast on edge of pocket even with lower edge of front. Sew side and lower edges of pocket in place.

BUTTONS: Make 3. With Size G hook, work about 18 sc around ring to cover. Fasten off, leaving a 10" end. Thread end in tapestry needle and weave thru tops of sc, drawing up tightly and pushing tops of sc to center of ring. Fasten yarn securely, sew on button.

5. Striped Pullover

Shown on page 7

SIZES: Directions are for Size 8. Changes for Sizes 10, 12, 14 and 16 are in parentheses

MATERIALS: Columbia-Minerva Shannon (3 oz ball); Color A (Nutmeg)—3 (3-3-4-4), Color B (Brown)—2 (2-2-3-3), Color C (Fisherman)—1 (1-1-2-2), Color D (Grey)—1 (1-1-2-2). Knitting Needles, Size 6 and Size 8 or size needed to obtain gauge given below.

Alternate Yarns: You may substitute Columbia-Minerva Nantuk 4-ply or Columbia-Minerva Performer yarns.

GAUGE: St st—Size 8 needles—9 sts = 2"; 6 rows = 1"

FINISHED MEASUREMENTS: Bust—34½ (35½-37-38½"-40)". **Width of back or front at underarm**—17¼ (17¾-18¼-19¼-20)". **Width of sleeves at underarm**—11½ (12-12½-13-13½)". Length from lower edge to underarm—14"

BACK: With Size 8 needles and A, cast on 78 (80-82-86-90) sts. Work in k 1, p 1 ribbing until 3" from beg. Break A, join C. Work in St st (k 1 row, p 1 row) in stripe pat as follows: 2" color C; 4" color B; 3" color A; 2" color D. Break D, join C. Mark last row. **SHAPE ARM-HOLES:** With C bind off 4 sts at beg of next 2 rows. Dec. 1 st each side edge in next row, then every other row 1 (1-2-2-3) times more; 66 (68-68-72-74) sts. Work even until C strip is 2". With D, work even for 1½", end with p row. Join C. **PATTERN:** **Row 1:** *K 1 D, k 1 C; rep from * across. **Row 2:** *P 1 D, p 1 C; rep from * across. Rep last 2 rows once. Break C and D, join A. With A work even for 2½". With B work even until 7 (7¼-7¾-8-8¼)" above underarm marker.

SHAPE SHOULDERS AND NECK: **Next Row:** Work first 22 (23-23-24-25) sts, join 2nd ball of yarn and work across next 22 (22-22-24-24) sts and sl to holder for neck, work to end; 22 (23-23-24-25) sts each side. Working each side separately, at each neck edge dec 1 st every row twice, **at same time**, at each armhole edge bind off 7 (7-7-7-8) sts twice, then 6 (7-7-8-7) sts once.

FRONT: Work same as back until 4 rows of A stripe above underarm marker are completed. **SHAPE NECK:** **Next Row:** With A, work first 25 (26-26-27-28) sts, join 2nd ball of A, work next 16 (16-16-18-18) sts and sl to holder for neck, work to end; 25 (26-26-27-28) sts each side. Working each side separately in pat as for back, at each neck edge dec 1 st in next row, then every other row 4 times more; 20 (21-21-22-23) sts each side. Work even until same length as back to shoulder. **SHAPE SHOULDERS:** At each armhole edge bind off 7 (7-7-7-8) sts twice, then 6 (7-7-8-7) sts once.

SLEEVES: With Size 6 needles and A, cast on 36 (38-40-40-40) sts. Work in k 1, p 1 ribbing until 3" from beg. Break A, join B. Change to Size 8 needles. Work in St st, inc 1 st each side edge in the 8th row, then every 8th row 7 (7-7-8-9) times more, **at same time**, work stripes as follows: 4" color B; 3" color A; 1½ color D; 3" color C or until 1½" less than desired length to underarm; 1½" color D; 52 (54-56-58-60) sts. Break D, join A. **SHAPE CAP:** With A bind off 4 sts at beg of next 2 rows. Working 1½" with A, then completing cap with

Continued on Page 8



No. 3



No. 4



No.5



No.6

Continued from Page 5

B, dec 1 st each side edge in next row, then every other row 7 (8-9-10-11) times more. Bind off 2 sts at beg of next 4 rows; 20 (20-20-20-20) sts, Bind off.

FINISHING: Sew right shoulder seam.

NECKBAND: Right side facing, with size 6 needles and A, pick up 20 (20-21-21-22) sts along left side neck edge, k 16 (16-16-18-18) sts from front holder, pick up 20 (20-21-21-22) sts along right side edge, k 22 (22-22-24-24) sts from back holder; 78 (78-80-84-86) sts. Work in k 1, p 1 ribbing for 2½". Using Size 8 needle, bind off loosely in ribbing. Sew left shoulder and neckband seam, side and sleeve seams matching stripes. Sew in sleeves. Fold neckband to wrong side and sew loosely in place.

6. Afghan Stitch Pullover and Scarf

Shown on page 7

SIZES: Directions are for Size 8. Changes for Sizes 10, 12, 14, and 16 are in parentheses.

MATERIALS: Columbia-Minerva Shannon (3 oz ball): **Pullover** Color A - 7 (7-8-8-9) **Scarf** - Color B - 3 balls. Crochet Hooks, Size H and Size I. Afghan Hook, Size I or size needed to obtain gauge given below.

Alternate Yarns: You may substitute Columbia-Minerva Nantuk 4-ply or Columbia-Minerva Performer yarns.

GAUGE: Afghan St - 7 sts = 2"; 3 rows = 1". Size I hook, 3 hdc = 1".

FINISHED MEASUREMENTS: Bust —33 (34-36-38-40)". **Width of back or front at underarm**—16½ (17-18-19-20)". **Width of sleeves at underarm**—14 (15-16-17-18)".

BACK: With Afghan Hook, ch 58 (60-64-68-70). **Row 1: First Half** - Draw up a lp in 2nd ch from hook and each rem ch; 58 (60-64-68-70) lps on hook: **2nd Half** - Yo hook and thru first lp, *

yo hook and draw thru ch and 1 lp (written yo and thru 2 lps in rem text); rep from * across until all lps are worked off. **Row 2:** Do not turn, insert hook under first vertical bar from edge, yo and draw up lp, draw up a lp in each rem vertical bar, drawing up last lp under the double thread for a straighter edge; 58 (60-64-68-70) lps on hook. **2nd half** -work off lps same as for row 1. Rep row 2 for afghan st. Work 5 rows more. **Pat—Row 1—Bobble Row:** Draw up lp in each bar across; **2nd half;** Yo and thru 1 lp, * ch 3 for bobble, yo and thru 2 lps; rep from * across. **Row 2:** Holding ch-3's to front of work, draw up a lp in each bar across; work off all lps as for row 2. Work 2 rows plain afghan st. **Row 5:** Draw up a lp in each bar across; **2nd half** - Yo and thru 1 lp, [yo and thru 2 lps] 0 (1-3-5-6) times, [ch 3, yo and thru 2 lps] 9 times, * work off next 7 lps, ch 3, yo and thru 2 lps, work off next 7 lps *, [ch 3, yo and thru 2 lps] 9 times; rep between *'s once, [ch 3, yo and thru 2 lps] 9 times, work off rem lps. Follow chart for pat, beg with chart row 6 and the st indicated for size being made. When pat rows are completed, work even in afghan st until 14" from beg. Work 1 bobble row. Work even in afghan st until 15" from beg or desired length to underarm. Mark beg and end of last row. Work even in afghan st until 6 (6-6½-6½-7)" above markers.

SHAPE NECK: AND SHOULDERS: **Next Row:** Draw up a lp in first 14 (15-16-17-18) bars; 15 (16-17-18-19) lps on hook: Work off lps. Work even on these sts until 7 (7½-8-8½-9)" above markers. **Next Row:** Sl st in first 5 (5-5-6-6) bars, draw up a lp in each rem bar; work off lps. Rep last row once. Fasten off. Sk center 28 (28-30-32-32) bars, join yarn between last and next bar, ch 1, draw up a lp in each bar to end; work off lps. Work even until same length as first shoulder. **Next Row:** Draw up a lp in each bar to within last 5 (5-6-6-6) bars; work off lps. Rep last row. Fasten off.

FRONT: Work same as back until 4 (4-4½-4½-5)" above markers. **SHAPE**

NECK: Same as for back.

SLEEVES: With afghan hook, ch 30 (31-33-34-36). Work 3 rows afghan st.

Next Row - Inc Row: Draw up a lp in st before first bar (inc), draw up a lp in each bar to last bar, draw up a lp in st between last 2 bars, draw up a lp in last bar; 32 (33-35-36-38) lps; work off lps. Rep inc row every 3rd row 9 (10-11-12-12) times more; 50 (53-57-60-62) sts. Work even until 13" from beg. Work 1 row of bobbles. Work even in afghan st until 15" from beg or desired length to shoulder, allowing for drop shoulder. Sl st in each bar across. Fasten off.


FINISHING: Sew shoulder seams.

NECKBAND: Right side facing, with Size H hook join yarn at right back neck edge, sc in each bar across back neck, 1 sc in corner - mark corner sc, work 18 (19-20-21-22) sc evenly along side neck edge, sc in corner - mark sc, sc in each bar across front neck, sc in corner - mark sc, work 18 (19-20-21-22) sc along side edge, sc in corner, join with sl st in first sc. **Rnd 2:** Ch 1, draw up a lp in first 2 sc, yo and thru 3 lps on hook - (dec), * sc to within 2 sc of marked corner sc, dec over next 2, sc in corner sc, dec over next 2 sc; rep from * around, end dec over last 2 sc, sc in last corner sc, join in first st. Rep last rnd twice. Fasten off. Sew side and sleeve seams. From right side, work 2 rows of sc along lower edge of pullover and lower edge of each sleeve. Sew in sleeves.

SCARF

Row 1: With Size I hook and B, ch 23, hdc in 3rd ch from hook and each rem ch; 21 hdc. (Note: Ch 2 at beg counts as 1 hdc.) **Row 2:** Ch 2, turn, hdc in 2nd hdc and each hdc across. Rep Row 2 until 60" from beg. Fasten off.

FRINGE: Cut yarn in 10" strands. Fold 2 strands in half for each fringe. Knot 1 fringe in each st across each end.



7. Woman's Cabled Pullover

Shown on page 11

SIZES: Directions are for size 8. Changes for sizes 10, 12, 14 and 16 are in parentheses.

MATERIALS: Columbia-Minerva Shannon (3 oz ball): 6 (6-7-8-9). Knitting Needles, Size 6 and Size 8 or size needed to obtain gauge given below. 1 Cable needle or Double-pointed needle.

Alternate Yarns: You may substitute Columbia-Minerva Nantuk 4-ply or Columbia-Minerva Shannon yarns.

GAUGE: St st—Size 8 needles—9 sts = 2"; 6 rows = 1". Center cable Pat—34 sts = 6".

FINISHED MEASUREMENTS: Bust—34 (35-36½-38-40)". **Width of back or front at underarm**—17 (17½-18¼-19-20)". **Width of sleeve at underarm**—12½ (13-13½-14-14½)".

CENTER CABLE PATTERN: 34 sts.

Row 1: (right side) * P 2, k 2 tog, yo, k 1, yo, k 2 tog thru back lps, p 2 *, sl next 4 sts to cable needle (CN) and hold in back of work, k next 4 sts, k 4 sts from CN, sl next 4 sts to CN, hold in front, k next 4 sts, k 4 sts from CN (cable twist); rep between *'s once.

Row 2: K 2, p 5, k 2, p 16, k 2, p 5, k 2.

Row 3: Rep between *'s of row 1 once, k 16, rep between *'s of row 1 once.

Rows 4 through 14: Rep rows 2 and 3, end with row 2. Rep rows 1 through 14 for pat.

BACK: With Size 6 needles, cast on 84 (86-90-92-96) sts. Work in k 1, p 1 ribbing until 3" from beg. **Next Row:** (wrong side) P 25 (26-28-29-31), place marker on needle, k 2, p 5, k 2, p 16, k 2, p 5, k 2, place marker on needle, p 25 (26-28-29-31). Carry markers. Change to Size 8 needles. **Next Row:** K 25 (26-28-29-31), sl marker, work row 1 of cable pat across next 34 sts, sl marker, k to end. Working cable pat between markers and rem sts in St st (k 1 row, p 1 row), work even until 14" from beg or desired length to underarm. Mark last row. **SHAPE ARMHOLES:** Keeping pat, bind off 5 sts at beg of next 2 rows. At each side edge, dec 1 st in next row, then every other row 2 (2-3-3-4) times more; 68 (70-72-74-76) sts. Work even until 7 (7¼-7½-7¾-8)" above underarm marker: **SHAPE THE NECK AND SHOULDERS:** **Next Row:** Work first 19 (20-21-22-22) sts, join 2nd ball of yarn, work across next 30 (30-30-30-32) sts and sl to holder, work to end. Working each side separately, at each neck edge dec 1 st every row twice, at same time, at each armhole edge bind off 6 sts once, then 6 (6-6-7-7) sts once, then 5 (6-7-7-7) sts once.

FRONT: Work same as back until 3¾ (4-4¼-4¼-4½)" above underarm

marker. **SHAPE NECK:** Work first 21 (22-23-24-24) sts, join 2nd ball of yarn, work next 26 (26-26-26-28) sts and sl to holder, work to end. Working each side separately, and keeping pat, at each neck edge dec 1 st every other row 4 times; 17 (18-19-20-20) sts each side. Work even until same length as back to shoulder. **SHAPE SHOULDERS:** At each armhole edge bind off 6 sts once, then 6 (6-6-7-7) sts once, then 5 (6-7-7-7) sts once.

SLEEVES: With Size 6 needles, cast on 38 (40-42-44-46) sts. Work in k 1, p 1 ribbing until 3" from beg. **Next Row:** (wrong side) P 2 (3-4-5-6), place marker on needle, k 2, p 5, k 2, p 16, k 2, p 5, k 2, place marker on needle, p 2 (3-4-5-6). Change to Size 8 needles. Carry markers. Working cable pat between markers and rem sts in St st, inc 1 st each side edge in next row, then every 6th row 11 times more; 62 (64-66-68-70) sts. Work even until 17" from beg or desired length to underarm. **SHAPE CAP:** Keeping pat, bind off 5 sts at beg of next 2 rows. Dec 1 st at each side edge every other row 11 (12-13-14-15) times. Bind off 3 sts at beg of next 2 rows; 24 sts. Bind off.

FINISHING: Sew right shoulder seam. **NECKBAND:** Right side facing, with size 6 needles, pick up 15 (15-16-17-17) sts along side neck edge, k across 26 (26-26-26-28) sts from front holder dec 2 sts evenly spaced, pick up 15 (15-16-17-17) sts along side edge, k across 30 (30-30-30-32) sts from back holder dec 4 sts even spaced; 80 (80-82-84-88) sts. Work in k 1, p 1, ribbing for 2½". Using size 8 needle, bind off loosely in ribbing. Sew left shoulder and neckband seam, side and sleeve seams. Sew in sleeves matching underarm seams. Fold neckband in half to right side and sew in place.

8. Man's Cabled Pullover

Shown on page 11

SIZES: Directions are for Size 36. Changes for Sizes 38, 40, 42, 44 and 46 are in parentheses.

MATERIALS: Columbia-Minerva Shannon, (3 oz ball): 8 (8-9-10-11-12). Knitting Needles, Size 6 and Size 8 or size needed to obtain gauge given below. 1 Cable needle or Double-pointed needle.

Alternate Yarns: You may substitute Columbia-Minerva Nantuk 4-ply or Columbia-Minerva Performer yarns.

GAUGE: St st—Size 8 needle—9 sts = 2"; 6 rows = 1". Side Cable Panel—16 sts = 2½"; Center Panel—28 sts = 4¾".

FINISHED MEASUREMENTS: Chest—37 (39-41-43-45-47)". **Width of back or front at underarm**—18½ (19½-20½-21½-22½-23½)". **Width of sleeve at underarm**—14 (14½-15-15½-16-16½)".

CENTER PANEL PATTERN: 28 sts: **Row 1:** (right side) P 5, sl next 2 sts to cable needle (CN) and hold in front of work, k next 2 sts, k 2 sts from CN—(cable twist—CT), p 10, CT over next 4 sts, p 5.

Row 2 and All Wrong Side Rows: K all k sts and p all p sts. **Row 3:** P 4, sl next st to CN and hold to back, k next 2 sts, p st from CN—(back cross—BC), sl next 2 sts to CN, hold to front of work, p next st, k 2 sts from CN—(front cross—FC), p 8, BC, FC, p 4. **Row 5:** P 3, BC, p 2, FC, p 6, BC, p 2, FC, p 3. **Row 7:** P 2, BC, p 4, FC, p 4, BC, p 4, FC, p 2. **Row 9:** P 1, BC, p 6, FC p 2, BC, p 6, FC, p 1. **Row 11:** BC, p 8, FC, BC, p 8, FC. **Row 13:** K 2, p 10, CT, p 10, k 2. **Row 15:** FC, p 8, BC, FC, p 8, BC. **Row 17:** P 1, FC, p 6, BC, p 2, FC, p 6, BC, p 1. **Row 19:** P 2, FC, p 4, BC, p 4, FC, p 4, BC, p 2. **Row 21:** P 3, FC, p 2, BC, p 6, FC, p 2, BC, p 3. **Row 23:** P 4, FC, BC, p 8, FC, BC, p 4. **Row 24:** Rep Row 2. Rep rows 1 through 24 for pat.

SIDE CABLE PANEL PATTERN: 16 sts:

Row 1: (right side) P 2, * sl next 4 sts to CN, hold to back, k next st, sl last 3 sts from CN back to left needle, hold CN with first st to front, k the 3 sts from left needle, k st from CN, p 2 *; rep between *'s once more. **Rows 2, 4 and 6:** K 2, [p 5, k 2] twice. **Rows 3 and 5:** P 2, [k 5, p 2] twice. Rep Rows 1 through 6 for pat.

BACK: With Size 6 needle, cast on 100 (104-106-110-114-118) sts. Work in k 1, p 1 ribbing until 3½" from beg, inc 2 (2-4-4-6-6) sts evenly spaced across last row; 102 (106-110-114-120-124) sts. **Next Row:** (wrong side) K 20 (22-24-26-29-31), p 1, [k 2, p 5] twice, k 7, p 4, k 10, p 4, k 7, [p 5, k 2] twice, p 1, k 20 (22-24-26-29-31). **Pat—Row 1:** P 20 (22-24-26-29-31), k 1, work side cable panel across next 16 sts, work center panel across next 28 sts, work side cable panel across next 16 sts, k 1, p to end. Work even in pat as established until 16" from beg or desired length to underarm. Mark last row. **SHAPE ARMHOLES:** Keeping pat, bind off 5 sts at beg of next 2 rows. Dec 1 st each side edge in next row, then every other row 3 (3-3-3-4-4) times more; 84 (88-92-96-100-104) sts. Work even until 8½ (9-9½-10-10½-11)" above underarm marker. **SHAPE SHOULDERS AND NECK:** Bind off 8 (8-9-9-10-11) sts at beg of next 2 rows. **Next Row:** Bind off first 8 (8-9-9-10-11) sts, work until there are 8 (10-10-11-11-11) sts on right needle, sl next 36 (36-36-38-38-38) sts to holder for neck, sl rem sts to 2nd holder for 2nd shoulder. On first shoulder, dec 1 st at neck edge in next row. **Next Row:** Bind off. Finish 2nd shoulder to correspond.

FRONT: Work same as back until 4½ (5-5¼-5¾-6-6½)" above underarm marker; 84 (88-92-96-100-104) sts.

Continued on Page 10

Continued from Page 9

SHAPE NECK: Next Row: Work in pat across first 28 (30-32-33-35-37) sts, sl next 28 (28-28-30-30-30) sts to holder, join 2nd ball of yarn and work to end. Keeping pat and working each side separately, at each neck edge dec 1 st every other row 5 times; 23 (25-27-28-30-32) sts each side. Work even until same length to shoulder as back. **SHAPE SHOULDERS:** At each armhole edge bind off 8 (8-9-9-10-11) sts twice, then 7 (9-9-10-10-10) sts once.

SLEEVES: With Size 6 needles, cast on 50 (50-52-52-54-54) sts. Work in k 1, p 1 ribbing until 3½" from beg. **Next Row:** (wrong side) K 1 (1-2-2-3-3), p 1, k 2, p 5, k 7, p 4, k 10, p 4, k 7, p 5, k 2, p 1, k 1 (1-2-2-3-3). Change to size 8 needles. **Pat—Row 1:** P 1 (1-2-2-3-3), k 1, rep between *'s of row 1 of side cable pat once, work row 1 of center panel across next 28 sts, rep between *'s of row 1 of side cable pat once, k 1, p to end. Work in pat as established, inc 1 st each side edge in next row, then every 1", 11 (12-12-13-13-14) times more, working inc sts in reverse St st; 74 (76-78-80-82-84) sts. Work even until 19" from beg or desired length to underarm. **SHAPE CAP:** Keeping pat, bind off 5 sts at beg of next 2 rows. Dec 1 st each side edge in next row, then every other row 5 times more, then every row 10 (11-12-13-14-15) times. Bind off 4 sts at beg of next 2 rows; 24 sts. Bind off.

FINISHING: Sew right shoulder seam. **NECKBAND:** Right side facing, with Size 6 needles pick up 13 (13-14-14-15-15) sts along left side neck edge, work in pat across 28 (28-28-30-30-30) sts from front holder, pick up 13 (13-14-14-15-15) sts along right side edge, work in pat across 36 (36-36-38-38-38) sts from back holder; 90 (90-92-96-98-98) sts. Work in k 1, p 1 ribbing for 2½" Using Size 8 needle, bind off loosely in ribbing. Sew left shoulder and neckband seam, side and sleeve seams. Sew in sleeves. Fold neckband in half to wrong side and sew loosely in place.

9. Fisherman Afghan

Shown on back cover

Approximate Size: 56" x 63"

MATERIALS: Columbia-Minerva Shannon (3 oz ball): 20 balls. Crochet Hook, Size H. 14" Afghan Hook, Size H, or size needed to obtain gauge given below.

Alternate Yarns: You may substitute Columbia-Minerva Nantuk 4-ply or Columbia-Minerva Performer yarns.


GAUGE: Afghan Hook—4 sts = 1"; 3 rows = 1".

FINISHED MEASUREMENTS: Each square including border—13½" x 15½". Square excluding border—11½" x 13".

SQUARE: Make 16. With Afghan Hook, ch 40 (do not ch too tightly). **Afghan St - Row 1:** (first half) Draw up lp in 2nd ch from hook and each rem ch across; 40 lps on hook; (2nd half) Yo hook and draw thru first lp, * yo and draw thru 2 lps on hook; rep from * across. Mark first row for lower edge. **Row 2:** (first half) Insert hook under first vertical bar from edge, yo and draw up lp, draw up lp in each bar across; drawing up last lp under the double thread for a straighter edge; 40 lps; (2nd half) Work off 20 lps as for row 1, ch 4 for picot, yo and thru 2 lps, work off rem lps as for row 1. **Row 3:** (first half) Draw up lp in each bar across, holding picot to front of work; 40 lps; (2nd half) Work off 19 lps, ch 4, work off next 2 lps, ch 4, work off rem lps. **Row 4:** Work first half same as row 3; 40 lps; (2nd half) Work off 18 lps, ch 4, [work off 2 lps, ch 4] twice, work off rem lps. Continue in this manner, following chart beg with row 5 for picot pat, until 38 rows are completed. Work 1 row in plain afghan st. **Last Row:** Sl st loosely in each bar across. Do not fasten off. **EDGING:** Change to crochet hook. **Rnd 1:** Ch 3,

sc in last sl st, working along side edge, * ch 1, sk 1 row, sc in end of next row *; rep between *'s to next corner, ch 1, sc, ch 2, sc all in corner st; working across foundation ch, ** ch 1, sk next st, sc in next st **; rep between **'s to next corner, ch 1; sc, ch 2, sc in corner st; rep between *'s to next corner, ch 1; sc, ch 2, sc in corner st; rep between ***'s to last corner, ch 1, join with sl st in first ch of ch-3. Fasten off. **Rnd 2:** Right side facing, join yarn in any corner ch-2 sp, ch 4, dc, ch 2, dc, ch 1, dc, all in same corner sp, † * ch 1, dc in next ch-1 sp; rep from * to next corner ch-2 sp, ch 1; dc, ch 1, dc, ch 2, dc, ch 1, dc all in ch-2 sp; rep from † around, end join in 3rd ch of beg ch-4. Fasten off.

FINISHING: From wrong side, sew 4 squares tog to form strip having the squared lower edge of one square sewn to the top edge of next square. Sew the 4 strips tog having all lower edges at one end and matching rows. **BORDER:** **Rnd 1:** Right side facing, with crochet hook, join yarn in any corner ch-2 sp, ch 3, sc in same ch-2 sp, † * ch 1, sc in next ch-1 sp; rep from * to corner ch-2 sp, ch 1; sc, ch 2, sc in ch-2 sp; rep from † around, end ch 1, join in first ch of beg ch-3. **Rnd 2:** Sl st in ch-2 sp, ch 4, finish same as Rnd 2 of square edging. **Rnd 3:** Sl st in ch-1 sp, ch 2, sc, ch 2, sc in corner ch-2 sp, finish as for Rnd 1. Join. Fasten off.



X = Represents Placement of Picots


Row 5



No. 7



No. 8



No. 9